| L Number | Hits | Search Text | DB | Time stamp |
|-------------|------|--|--|---------------------|
| - | 11 | ((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and ((field value data information) near10 detect\$4) and (set\$4 near10 (bit byte field parameter\$4)) and ((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/21 15:44 |
| - | 4 | | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/21 15:47 |
| | 3 | ((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (match\$4 near10 address\$4 same destination same (physical logic\$4)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/21 16:49 |
| _ | 8 | <pre>((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (compar\$5 near10 address\$4 same destination same (physical logic\$4))</pre> | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/21 16:57 |
| - | 45 | <pre>((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (match\$4 near10 address\$4)</pre> | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/21 16:57 |
| _ | 62 | <pre>((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)</pre> | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 |
| - | 16 | <pre>((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (compar\$5 near10 address\$4 same destination)</pre> | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/21 16:58 |
| - | 7 | <pre>((((ip (internet\$4 protocol)) near5 address\$4)and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (((mac(media adj3 control\$4)) near5 address\$4)) near10 equal\$4)</pre> | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 10:45 |
| | 32 | (((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 12:18 |

| | 10 | <pre>(((((ip (internet\$4 protocol)) near5 address\$4) near10 equal\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)</pre> | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 12:18 |
|---|----|---|--|------------------|
| _ | 1 | <pre>((((ip (internet\$4 protocol)) near5 address\$4) near10 equal\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)</pre> | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 12:28 |
| - | 30 | (((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 13:02 |
| | 88 | ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 differ\$7) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) (((((ip (internet\$4 protocol)) near5 address\$4)) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/11/17 14:29 |
| | 25 | ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 differ\$7) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) (((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 |
| _ | 7 | ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 equal\$4) and (ping\$4 arp echo\$4) not (((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) (((((ip (internet\$4 protocol)) near5 address\$4)) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2002/11/22 14:13 |

| _ | 8 | ((ip (internet\$4 protocol) logic\$2) near5 address\$4 near6 destination\$4 near10 equal\$4) and (ping\$4 arp echo\$4) not | USPAT; EPO; JPO; DERWENT; | 2002/11/22 |
|---|-----|--|---------------------------------|-----------------------|
| | | (((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and | IBM_TDB | |
| | | ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) | | |
| | | and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) (((((ip | | |
| | | (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 | | |
| | | control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 | | |
| | | <pre>adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)))</pre> | | |
| - | 26 | ((ip (internet\$4 protocol) logic\$2) near5 address\$4 near6 destination\$4 near10 | USPAT; EPO; JPO; | 2002/11/22 13:31 |
| | | <pre>differ\$7) and (ping\$4 arp echo\$4) not (((((ip (internet\$4 protocol)) near5</pre> | DERWENT; IBM_TDB | |
| | | address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 | | |
| | | control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 | | |
| | | <pre>match\$4) near10 address\$4)) (((((ip (internet\$4 protocol)) near5 address\$4)</pre> | | |
| | | near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp | | |
| | | <pre>(internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10</pre> | | |
| - | 159 | address\$4))) (((icmp (internet\$4 adj2 control\$4 adj2 | USPAT; | 2003/11/17 |
| | | messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))) and ((ip (internet\$4 protocol)) near5 address\$4 near6 | EPO; JPO; DERWENT; | 14:29 |
| _ | 37 | destination\$4) (((icmp (internet\$4 adj2 control\$4 adj2 | IBM_TDB USPAT; | 2002/11/22 |
| | | messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))) and ((ip (internet\$4 | EPO; JPO; DERWENT; | 14:23 |
| | | <pre>protocol)) near5 address\$4 near6 destination\$4 same (configur\$4 set\$4) near10 ((ip (internet\$4 protocol)) near5</pre> | IBM_TDB | |
| _ | 60 | address\$4)) (((icmp (internet\$4 adj2 control\$4 adj2 | USPAT; | 2002/11/22 |
| | | messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))) and ((mac (media adj3 | EPO; JPO; DERWENT; | 14:35 |
| _ | 11 | control\$4) physical\$4) near5 address\$4 near6 destination\$4) ((icmp (internet\$4 adj2 control\$4 adj2 | IBM_TDB USPAT; | 2002/11/22 |
| | -1 | messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4)) same ((mac (media adj3 | EPO; JPO; DERWENT; | 14:59 |
| | 200 | control\$4) physical\$4) near5 address\$4 near6 destination\$4) | IBM_TDB | 0000 (11 (2 - |
| | 322 | ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and ((echo\$4 messag\$4) same ((ip | USPAT; EPO; JPO; DERWENT; | 2003/11/17 14:28 |
| - | 64 | internet\$4) near5 address\$4)) ((echo\$4 messag\$4) same (mac (media adj3 | IBM_TDB USPAT; | 2003/11/17 |
| | | control\$4) physical\$4) near5 address\$4) and ((echo\$4 messag\$4) same ((ip internet\$4) near5 address\$4 near10 (set | EPO; JPO; DERWENT; | 14:27 |
| - | 19 | setting))) ((echo\$4 messag\$4) same (mac (media adj3 | IBM_TDB USPAT; | 2002/11/25 |
| | | control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 | EPO; JPO; DERWENT; | 09:37 |
| | | address\$4 near10 (set setting))) and ((ip internet\$4) near5 address\$4) | IBM_TDB | |

| _ | 13 | (((echo\$4 messag\$4) same (mac (media adj3 | USPAT; | 2002/11/25 |
|-----|-----|--|---------------------|---------------------|
| | | control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 | EPO; JPO; | 09:27 |
| | | address\$4 near10 (set setting)))) and | DERWENT; IBM TDB | |
| | | (siz\$4 length\$4) | 151155 | |
| - | 153 | ((echo\$4 messag\$4) same (mac (media adj3 | USPAT; | 2002/11/25 |
| | | control\$4) physical\$4) near5 address\$4) | EPO; JPO; | 11:13 |
| | | and (((ip internet\$4) near5 address\$4 | DERWENT; | |
| | | <pre>near10 (set setting replac\$4 chang\$4)))</pre> | IBM_TDB | |
| i - | 16 | (((echo\$4 messag\$4) same (mac (media adj3 | USPAT; | 2002/11/25 |
| | | <pre>control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4</pre> | EPO; JPO; | 11:03 |
| | | near10 (set setting replac\$4 chang\$4)))) | DERWENT; IBM TDB | |
| | | and (siz\$4 length\$4) and (ttl (tim\$4 adj3 | 1511_155 | |
| | | liv\$4)) and ((ip internet\$4) near5 | | |
| | | address\$4) | | |
| - | 9 | (((echo\$4) same (mac (media adj3 | USPAT; | 2002/11/25 |
| | | control\$4) physical\$4) near5 address\$4) | EPO; JPO; | 11:22 |
| | | and (((ip internet\$4) near5 address\$4 | DERWENT; | |
| | ' | <pre>near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3</pre> | IBM_TDB | |
| | | not (\$12\$4 length\$4) not (ttl (tlm\$4 adj3 liv\$4)) | | |
| - | 3 | 1104477 (set setting) near5 (predetermin\$6 near5 | USPAT | 2003/05/30 |
| |] | (data information parameter header)) and | | 13:47 |
| | | ((revers\$4 near4 (arp (address\$4 adj | | |
| | | resolution adj protocol)) rarp)) | | |
| - | 131 | ((ip internet\$4) near5 address\$4 near10 | USPAT; | 2003/11/18 |
| | | (set setting replac\$4 chang\$4)) and | EPO; JPO; | 11:53 |
| | | (siz\$4 length\$4) and (ttl (tim\$4 adj3 | DERWENT; IBM TDB | |
| _ | 48 | ((ip internet\$4) near5 address\$4 near10 | USPAT; | 2003/11/17 |
| | | (set setting replac\$4 chang\$4) near10 | EPO; JPO; | 10:19 |
| | | destination\$4) and (siz\$4 length\$4) and | DERWENT; | |
| | | (ttl (tim\$4 adj3 liv\$4)) | IBM_TDB | |
| - | 35 | ((echo\$4) same (mac (media adj3 | USPAT; | 2003/11/17 |
| | | control\$4) physical\$4) near5 address\$4) | EPO; JPO; | 10:20 |
| | | and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4))) | DERWENT; IBM TDB | |
| _ | 24 | (set setting) near5 (predetermin\$6 near5 | USPAT | 2003/11/17 |
| | | (data information parameter header)) same | ****** | 10:20 |
| | | (icmp echo ping) | | |
| - | 26 | (((echo\$4) same (mac (media adj3 | USPAT; | 2003/11/17 |
| | | control\$4) physical\$4) near5 address\$4) | EPO; JPO; | 14:23 |
| | | and (((ip internet\$4) near5 address\$4 | DERWENT; | |
| | | near10 (set setting replac\$4 chang\$4)))) not ((((echo\$4) same (mac (media adj3 | IBM_TDB | |
| | | control\$4) physical\$4) near5 address\$4) | | |
| | | and (((ip internet\$4) near5 address\$4 | | |
| | 1 | near10 (set setting replac\$4 chang\$4)))) | | |
| | | not (siz\$4 length\$4) not (ttl (tim\$4 adj3 | | |
| | 400 | liv\$4))) | TICDAM. | 2002/11/10 |
| _ | 493 | <pre>(set setting reset\$5) with ((factor\$4) with address\$4)</pre> | USPAT | 2003/11/18 |
| _ | 356 | with address\$4) ((factory factories) with address\$4) | USPAT | 18:01 2003/11/18 |
| | | ('Taboot' Tabootton' with addressial | JULAI | 10:11 |
| - | 2 | (((icmp (internet\$4 adj2 control\$4 adj2 | USPAT; | 2003/11/17 |
| | | messag\$4 adj2 protocol)) near10 (echo\$4 | EPO; JPO; | 14:29 |
| | | messag\$4))) and ((ip (internet\$4 | DERWENT; | |
| | | protocol)) near5 address\$4 near6 | IBM_TDB | |
| | | destination\$4) and (((factory factories) | | |
| _ | 4 | with address\$4)) ((echo\$4 messag\$4) same (mac (media adj3 | USPAT; | 2003/11/17 |
| | 4 | control\$4) physical\$4) near5 address\$4) | EPO; JPO; | 14:31 |
| | | and ((echo\$4 messag\$4) same ((ip | DERWENT; | |
| | ŀ | internet\$4) near5 address\$4)) and | IBM TDB | |
| | | (((factory factories) with address\$4)) | _ | |
| - | 77 | ((factory default\$4 factories) with | USPAT | 2003/11/17 |
| | | address\$4) and (default\$4 same (factory | | 14:40 |
| L | L | factories)) | L | |

| 30 (((factory defaults) factories) with address54) and (echo icmp ping arp arp) 16:12 2003/11/17 16:12 2003/11/17 16:12 2003/11/17 16:12 2003/11/17 16:13 2003/11/17 2003/11/18 2003/11/ | | | | | |
|---|---|-----|---|-----------|------------|
| factories) and (echo icmp ping arp rap (([factory factories) with address\$4) (([factory factories) with address\$4) (([factory factories]) with address\$4] ([factory factories]) with address\$4] (([factory factories]) with address\$4 | - | 30 | (((factory default\$4 factories) with | USPAT | 2003/11/17 |
| Tarp 30 | | | | | 16:12 |
| - 30 (((factory factories) with address\$4)) and (echo icmp ping arp rarp) not ((((factory factories) with address\$4)) and (echo icmp ping arp rarp) not ((((factory default54 factories) with address\$4) and (echo icmp ping arp factories))) and (echo icmp ping arp factories)) and (echo icmp ping arp factories)) and (echo icmp ping arp factories)) and (echo icmp ping arp arp factories)) and (echo icmp ping arp factories)) and (echo icmp ping arp ame address\$4 - 108 (cmp ping echo) with (set\$4 reset\$4) with address\$4 - 114 ((icmp ping arp rarp echo) with (set\$4 reset\$4) with address\$4) same((compar\$4 match\$4) with address\$4) same((compar\$4 match\$4) with address\$4 with (set length\$4) and (til (tim\$4 ad\$1) liv\$4)) - 48 (((i) internet\$4) with address\$4 with (set setting replac\$4 chang\$4)) and (siz\$3 length\$4) and (til (tim\$4 ad\$1) liv\$4)) - 49 (((i) internet\$4) with address\$4 with (set setting replac\$4 chang\$4)) and (siz\$3 length\$4) and (til (tim\$4 ad\$1) liv\$4)) - 49 (((i) internet\$4 with address\$4 with (set setting replac\$4 chang\$4)) and (siz\$3 length\$4) and (til (tim\$4 ad\$1) liv\$4)) - 49 (((i) internet\$4 ad\$2 control\$4 ad\$2 messay\$4 ad\$2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 sasign\$4 reset\$5) with (i) internet\$4 ad\$2 control\$4 ad\$2 messay\$4 ad\$2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 sasign\$4 reset\$5) with (ip internet) with address\$4) - 26 (((icmp (internet\$4 ad\$2 control\$4 ad\$2 messay\$4 ad\$2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) - 27 ((icmp (internet\$4 ad\$2 control\$4 ad\$2 messay\$4 ad\$2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) with (ip internet) with address\$4) with (ip internet) with address\$4) - 2003/11/18 13:15 - 2003/11/18 13:15 - 2003/11/18 13:15 - 2003/11/18 13:16 - 2003/11/18 13:17 - 2003/11/18 13:19 - 2003/11/18 13:19 - 2003/11/18 13:10 - 2003/11/18 13:10 | | | | | |
| and (echo icmp ping arp rarp) 10 ((iffactory factories) with address\$4) and (echo icmp ping arp rarp) not ((iffactory defaults4 factories) with address\$4) address\$4) address\$4 address\$ | | 20 | | 110000 | 2002/11/27 |
| 10 ((((factory factories) with address\$4)) and (echo icmp ping arp rarp)) not ((((factory defaults4 factories) with address\$4) and (defaults4 same (factory factories))) and (echo icmp ping arp rarp) and (echo icmp ping arp arp arp arp) and (echo icmp ping arp | _ | 30 | (((lactory factories) with address\$4)) | USPAT | I |
| and (echo icmp ping arp rarp)) not ((((factory defaults) factories)) with address\$4) and (defaults) same (factory factories)) and (echo icmp ping arp rarp)) (and (echo icmp ping arp rarp)) (befaults) factory factories)) and (echo icmp ping arp rarp) (befaults) factory factories)) and (echo icmp ping arp rarp) (befaults) factory factories) (compars) (co | _ | 10 | | 116 D V W | |
| ((((factory defaults) factories) with address\$) and (defaults) same (factory factories))) and (defaults) same (factory factor) factories))) and (echo icmp ping arp rarp)) - 709 (icmp ping echo) same (set\$4 reset\$4) | _ | 10 | and (echo icmn ning arm rarm)) not | OSPAI | |
| address\$4 and (default\$4 same (factory factories!)) and (echo icmp ping arp rarp)) | | | ((((factory default\$4 factories) with | | 10.15 |
| factories) and (echo icmp ping arp rarp) (icmp ping echo) same (set\$4 reset\$4) USFAT 2003/11/18 same address\$4 (icmp ping echo) with (set\$4 reset\$4) USFAT 2003/11/18 | | | address\$4) and (default\$4 same (factory | | |
| Tarp) | | | factories))) and (echo icmp ping arp | | · |
| same address 108 (icmp ping epch) with (set 4 reset 4 with address 4 with addre | | | | | |
| 108 | - | 709 | (icmp ping echo) same (set\$4 reset\$4) | USPAT | 2003/11/18 |
| 13 with address\$4 reset\$4 with address\$4 same((compar\$4 match\$34) with address\$4) same((compar\$4 match\$34) with address\$4 with (set setting replac\$4 chang\$4)) same((i(i)) same(i)) same(i) same(| | | • | | |
| 13 | _ | 108 | | USPAT | |
| crest\$4 with address\$4 same((compar\$4 match\$4) with address\$4 match\$54 with address\$4 match\$54 with address\$4 match\$6 m | | | | | |
| match\$4 with address\$4 clicmp ping arp rarp echo) with (set\$4 reset\$4 with address\$4 and ((compar\$4 match\$4 with address\$4 and ((compar\$4 lind | - | 13 | ((1cmp ping arp rarp echo) with (set\$4 | USPAT | |
| 114 | | | | | 10:13 |
| reset\$4 with address\$4 and ((compar\$4 match\$4 with address\$4 with address\$4 compar\$4 list a setting replac\$4 chang\$4 and (siz\$4 length\$4 and (ttl (tim\$4 adj3 liv\$4) list a setting replac\$4 chang\$4) and (siz\$4 length\$4 and (ttl (tim\$4 adj3 liv\$4) liv\$4) liv\$4) and (icmg (internet\$4 with address\$4 with (set\$5 chang\$4 and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4) liv\$4) lind (icmg (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo and ((compar\$4 match\$4) with address\$4) and ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5 with ip with address\$4 and (set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5 with address\$4 refreash\$4 assign\$4 reset\$5 with address\$4 refreash\$4 assign\$4 reset\$5 with (compar\$4 messag\$4 adj2 protocol) ping arp rarp echo with (set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5 with (compar\$4 match\$4) with address\$4) and ((compar\$4 match\$4) with address\$4) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo with (set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5 with (ip internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo with (set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5 with (ip internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo with address\$4) and ((compar\$4 match\$4) with address\$4) not ((cimp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo with (set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5 with (ip internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo with (set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5 with (ip internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo with (s | _ | 114 | | IICD V II | 2002/11/18 |
| 160 | - | 114 | | USPAI | |
| 160 | | | | | |
| setting replac\$4 chang\$4) and (siz\$4 EPO, JPO, length\$4) and (ttl (tim\$4 adj3 liv\$4) | - | 160 | | USPAT: | 2003/11/18 |
| length\$4) and (ttl (tim\$4 adj3 liv\$4)) | | | setting replac\$4 chang\$4)) and (siz\$4 | | |
| 48 | | | | | |
| (set setting replac\$4 chang\$4)) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) and ((compar\$4 match\$4) with address\$4) and ((set\$5 chang\$4 updat\$4 refreash\$4 reset\$5) with ip with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and (internet) messag\$4 adj2 protocol) ping arp rarp echo) with (internet) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4) and (internet) with address\$4) and (internet) with address\$4) and (internet) with address\$4) | | | , | IBM TDB | |
| (siz%4 length\$4) and (ttl (tim%4 adj3 liv\$4)) and (icomp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) and ((compar\$4 match\$4) with address\$4) and ((set\$5 chang\$4 updat\$4 refreash\$4 reset\$5) with ip with address\$4] ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4]) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4)) same ((compar\$4 match\$4) with address\$4) with (ip internet) with address\$4) and ((compar\$4 match\$4) with mac with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (iset\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (iset\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (iset\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (iset\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (iset\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) (internet\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (i | - | 48 | | USPAT | 2003/11/18 |
| livs4))) and (icmp (internet\$4 adj2 protocol) ping arp rarp echo) and ((compar\$4 match\$4) with address\$4) and ((set\$5 chang\$4) with refreash\$4 reset\$5) with ip with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((icmp af\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) ((i(icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$6 reset\$5) with (ip internet) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 assign\$6 reset\$5) with (ip internet) with address\$4)) not ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$6 reset\$5) with (ip internet) with address\$4)) (ip internet) with address\$4) (ip internet) with address\$4) (ip internet) with address\$4) (ip internet) with address | | | | | 11:55 |
| control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) and ((compar\$4 match\$4) with address\$4) and ((set\$5 chang\$4 updat\$4 refreash\$4 reset\$5) with ip with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4) - 77 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 match\$4) with address\$4) and (compar\$4 match\$4) with address\$4) and ((compar\$4 match\$4) with address\$4) and (compar\$4 match\$4) wit | | | | | |
| ping arp rarp echo) and ((compar\$4 match\$4) with address\$4) and ((set\$5 chang\$4 updat\$4 refreash\$4 reset\$5) with ip with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4) with (ip internet) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4) updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) ((i(imp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4) updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4) updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4) updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4) updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) (((icmp (internet\$4) adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol | | | | | |
| match\$4) with address\$4 and ((set\$5 chang\$4 updat\$4 refreash\$4 reset\$5) with ip with address\$4 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 match\$4) with address\$4) and ((compar\$4 match\$4) with address\$4) and ((compar\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) with (ip internet) with address\$4) and ((compar\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) same ((compar\$4 match\$4) with address\$4) and ((compar\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 match\$4) with mac with address\$4) and ((compar\$4 match\$4) with address | | | | | |
| chang\$4 updat\$4 refreash\$4 reset\$5) with ip with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4)) 777 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) 26 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) 27 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not ((icimp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not ((icimp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (ip internet) with address\$4) in the internet with address\$4) and (internet\$4 adj2 messag\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (internet\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (internet\$4 adj2 messag\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) w | | | | | |
| ip with address\$4 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4) 77 | | | | | |
| - 394 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4)) - 77 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4) and ((compar\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4)) same ((compar\$4 match\$4) with address\$4)) same ((compar\$4 match\$4) with address\$4)) same ((internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4) messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ging arp rarp echo) with address\$4)) and (set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp | | | | 1 | |
| messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) - 26 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) - 27 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) - 50 (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) - 50 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) with mac with address\$4)) and ((compar\$4 assign\$4 reset\$5) with (ip internet) with address\$4) (ip internet) with address | | 204 | | | 0000/11/10 |
| echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4)) - 77 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 match\$4) with address\$4) and ((compar\$4 reset\$5) with (ip internet) with (set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) same ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) (USPAT 2003/11/18 assign\$4 reset\$5) with (ip internet) with address\$4) with (ip internet) with address\$4) and ((compar\$4 match\$4) with mac with address\$4) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4) | _ | 394 | | USPAT | |
| refreash\$4 assign\$4 reset\$5) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4) with (mac with address\$4) with (mac with address\$4) with (mac with address\$4) with (mac with address\$4) with (m | | | | | 13:11 |
| address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4) assign\$4 reset\$5 with (ip internet) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) same ((compar\$4 match\$4) with address\$4) same ((compar\$4 match\$4) with address\$4) same ((compar\$4 match\$4) with address\$4) assign\$4 reset\$5 with (ip internet) with address\$4) with (ip internet) with address\$4) and ((compar\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 match\$4) with mac with address\$4) adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 match\$4) with mac with address\$4) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet) adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with (set\$5 chang\$4 updat\$4 refreash\$4 adj2 messag\$4 updat\$4 refreash\$4 adj2 messag\$4 updat\$4 refreash\$4 adj2 messag\$4 updat\$4 refreash\$4 adj2 messag\$4 refreash\$4 adj2 messag\$4 refreash\$4 adj2 messag\$4 refreash\$4 adj2 messag\$4 refreash\$4 | | | | | |
| 77 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 match\$4) with mac with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and (compar\$4 match\$4) with address\$4)) and (compar\$4 match\$4) with address\$4) | | | | | |
| messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4) - 26 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) - 50 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) not ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | _ | 77 | | USPAT | 2003/11/18 |
| echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| internet) with address\$4)) and ((compar\$4 match\$4) with address\$4) (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 refreash\$4 assign\$4 refreash\$4 assign\$4 refreash\$4 assign\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) | | | | | |
| match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) 27 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) ((set setsing reset\$5) with (factory) 443 ((set setting reset\$5) with (factory) USPAT 2003/11/18 | | | refreash\$4 assign\$4 reset\$5) with (ip | | |
| - 26 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) same ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) | | | | | |
| messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) - 50 (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | _ | 26 | | USPAT | 1 |
| refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) updat\$4 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | 13:12 |
| internet) with address\$4)) same ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18) | | | | | |
| ((compar\$4 match\$4) with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((cimp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with maddress\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| - 27 ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4) and ((compar\$4 match\$4) with mac with address\$4) - 50 (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4)) and ((compar\$4 match\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4)) and ((compar\$4 match\$4)) and ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 with address\$4)) and ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | _ | 27 | | USPAT | 2003/11/18 |
| echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | |] | | | |
| refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((compar\$4 match\$4) with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | -5.15 |
| internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 pdat\$4 pternet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) and ((cimp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| match\$4) with mac with address\$4) (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 prefreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 with address\$4)) and ((compar\$4 with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | match\$4) with mac with address\$4) | | |
| echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | _ | 50 | | | 2003/11/18 |
| refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | 14:01 |
| internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| match\$4) with address\$4)) not (((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | IBM_TDB | |
| <pre>(internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18</pre> | | | | | |
| adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| mac with address\$4)) - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | · |
| - 443 ((set setting reset\$5) with (factory USPAT 2003/11/18 | | | | | |
| | _ | 443 | | USPAT | 2003/11/18 |
| | | | | | |

Search History

| _ | 0 | (((set setting reset\$5) with (factory | USPAT | 2003/11/18 |
|---|----|---|-------|------------|
| | | factories manufact\$6) with address\$4)) | | 18:03 |
| | 1 | and ((icmp (internet\$4 adj2 control\$4 | | |
| | | adj2 messag\$4 adj2 protocol) ping arp | | |
| | | rarp echo) with ((set\$5 chang\$4 updat\$4 | | |
| | | refreash\$4 assign\$4 reset\$5) with (ip | | |
| | | internet) with address\$4)) and ((compar\$4 | | |
| | | match\$4) with (mac media hardware) with | | 1 |
| | | address\$4) | | |
| - | 17 | (((set setting reset\$5) with (factory | USPAT | 2003/11/18 |
| | | factories manufact\$6) with address\$4)) | | 18:11 |
| | | and ((compar\$4 match\$4) with (mac media | | |
| | | hardware) with address\$4) | | |